

Unintentional Injury Hospitalizations

Unintentional Injury Hospitalizations

•Most recent data (2012): 502.6 hospitalizations per 100,000, including 9,989 admissions.

•Trend over time: 2000-06: flat; 2006-12: falling

•Description: Includes non-fatal hospitalizations for any unintentional injury, including drowning, falls, fire, firearms, motor vehicle collision, poisoning, and suffocation

Unintentional injury hospitalizations, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	526.9	522.3	531.6	10144
AGE				
<18	161.9	156.4	167.4	672
18-24	267.9	257.2	278.9	477
25-44	271.5	265.7	277.4	1658
45-64	520	511.3	528.9	2704
65+	2183.7	2155.7	2212.0	4633
GENDER				
Male	556.1	549.1	563.3	5007
Female	486.6	480.5	492.7	5136
RACE/ETHNICITY				
AIAN	N/A	N/A	N/A	N/A
Asian	N/A	N/A	N/A	N/A
Black	N/A	N/A	N/A	N/A
Hispanic	N/A	N/A	N/A	N/A
Multiple	N/A	N/A	N/A	N/A
NHPI	N/A	N/A	N/A	N/A
White	N/A	N/A	N/A	N/A
NEIGHBORHOOD POVERTY				
High	697.9	676.3	720.1	819
Medium	521.1	515.9	526.3	8073
Low	466.5	454.1	479.2	1130
REGION				
East	439.3	430.6	448.1	2008
North	538.7	523.6	554.2	1036
Seattle	554.2	545.6	563.0	3336
South	563.7	555.6	572.0	3763

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by race/ethnicity not available.

Unintentional injury hospitalizations King County, 2008-2012 average



Source: WA State DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

[^]Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by race/ethnicity not available.

Poverty = Neighborhood poverty levels defined by median household income.

Unintentional injury hospitalizations by comparison areas

There is no Healthy People 2020 Objective for unintentional injury hospitalizations .

	Latest Available Year	Rate	Lower CI	Upper CI
United States	N/A	N/A	N/A	N/A
WA State	2012	552.8	547.2	558.3
King County	2012	502.6	492.6	512.8

Notes:

Source: WAState DOH, Office of Hospital and Patient Data Systems.


Prepared by Public Health - Seattle & King County, APDE, 12/2014.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.


CI is 95% Confidence Interval.

Unintentional injury hospitalizations by comparison areas



Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.
[^]Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
|-----| Confidence interval shows range that includes true value 95% of the time.

Unintentional injury hospitalizations by zip codes
King County, 2008-2012 average




Source: WA State DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

^aRate = cases per 100,000 population, age-adjusted to the 2000 US population.

Unintentional injury hospitalizations King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.